

(C)



The Gujarat Government Gazette

EXTRAORDINARY

PUBLISHED BY AUTHORITY

Vol. LVII]**FRIDAY, FEBRUARY 5, 2016/MAGHA 16, 1937**

Separate paging is given to this Part in order that it may be filed as a Separate Compilation.

PART IV-C

Statutory Rules and Orders (Other than those published in Parts I, I-A and I-L) made by Statutory Authorities other than the Government of Gujarat including those made by the Government of India, the High Courts, the Director of Municipalities, the Commissioner of Police, the Director of Prohibition and Excise, the District Magistrates and the Election Commission, Election Tribunals, Returning Officers and other authorities under the Election Commission.

GUJARAT ELECTRICITY REGULATORY COMMISSION GANDHINAGAR

Distribution Code (Second Amendment), 2016

Notification No. 1 of 2016

In exercise of powers conferred under Section 86 (c), (e) and (i) of the Electricity Act, 2003 (Act 36 of 2003) and under Section 42 (b) of the Gujarat Electricity Industry (Reorganisation and Regulation) Act, 2003 (Gujarat Act 24 of 2003) and all powers enabling it in that behalf, the Gujarat Electricity Regulatory Commission hereby amend the Distribution Code (No. 6 of 2004), the principal Code.

1. Short Title, Extent and Commencement

- (1) This Code may be called the Gujarat Electricity Distribution Code (Second Amendment), 2016
- (2) This Code shall come into force on the date of their publication in the Gazette.

2. Amendment to Section 4.5 (12) of the principal code:

Section 4.5 (12) of the principal code shall be substituted as under:

“4.5 (12)

The planning of the Distribution System shall always keep in view the cost effectiveness and reduction in energy losses without sacrificing the requirements of Security Standards, Safety Standards and **Power Quality Standards** for the Distribution System.”

3. Amendment to Section 6.7 (1) of the principal code:

Section 6.7 (1) of the principal code shall be substituted as under:

“6.7 (1)

Reliable and redundant communication links viz *e-mail id (available round the clock)*, telephone, fax, etc. shall be made available by the consumer whose contract demand is 1 MW and above for data exchange and sharing information and operating instruction between the Licensee, Consumer, LMU, Sub- SLDC and SLDC. Each distribution utility shall ensure installation and maintenance of proper communication infrastructure at consumer end.”

4. Amendment to Section 6.9 (1) of the principal code:

Section 6.9 (1) of the principal code shall be substituted as under:

“6.9 (1)

The Distribution Licensee and the Users (comprising Generation Companies, Transmission Licensee and Consumers having load above 5 MW or dedicated lines) and any other Distribution Licensee having common electrical interface with the Licensee shall designate suitable persons to be responsible for safety co-ordination. These persons shall be referred to as Control Persons. Their designation, *e-mail id* and telephone numbers shall be exchanged between all the concerned persons. Any change in the list shall be notified promptly to all the concerned.”

5. Amendment to Attachment 1 of the principal code:

Clause 12 (1) of Attachment 1 of the principal code shall be substituted as under:

“The metering for 230 V single-phase supply shall be provided on a suitable board, located in such a place protected from sun and rain and shall be in a convenient position for taking readings *enclosed in a suitable tamper-proof box. The tamper-proof box shall be of sufficient strength and design with locking and sealing devices and shall have adequate provision for heat dissipation with the required electrical clearances. The design shall permit readings to be taken without access to the meter or its connections. The terminals of the meter and box shall be made tamper – proof and sealed.* For 400 Volts three phase supply, the meters and associated metering equipment including connections shall be enclosed in a suitable tamper-proof box. The tamper-proof box shall be of sufficient strength and design with locking and sealing devices and shall have adequate provision for heat dissipation with the required electrical clearances. The design shall permit readings to be taken without access to the meter or its connections.”

Gandhinagar
Date-25/01/2016

Roopwant Singh, IAS
Secretary
Gujarat Electricity Regulatory Commission
Gandhinagar.

ગુજરાત વિદ્યુત નિયંત્રક આયોગ
ગાંધીનગર

વિતરણ સંહિતા(બીજો સુધારો) ૨૦૧૫
૨૦૧૫ ના જાહેરનામા નં ૧

૨૦૦૩ ના વીજળી અધિનિયમ(૨૦૦૩ નો અધિનિયમ ૩૭) કલમ ૮૮ સી.ઇ અને આઇ અન્વયે તથા ગુજરાત વીજળી ઉદ્યોગ(પુન: રચના અને વિનિયમ) અધિનિયમ ૨૦૦૩(૨૦૦૩ નો ગુજરાત અધિનિયમ ૨૪) કલમ ૪૨બી અન્વયે સોપેલી સત્તાઓ તથા આ અંગે તેમેને સંક્ષમ બનાવતી તમામ સત્તાઓના રૂપે, ગુજરાત વિદ્યુત નિયંત્રક આયોગ, આથી વિતરણ સંહિતા(૨૦૦૪ નું જાહેરનામું નં ૫) મુખ્ય વિતરણ સંહિતા, માં સુધારો કરે છે

૧. દ્રુત શિર્ષક, વ્યાપ્તિ અને પ્રારંભ :

- (૧) આ સંહિતા ગુજરાત વીજળી વિતરણ સંહિતા(બીજો સુધારો) ૨૦૧૫ કફેવાશે.
- (૨) આ સંહિતા રાજ્યપત્રમાં તેની પ્રસ્તુતિની તારીખથી અમલમાં આવશે.

૨. મુખ્ય વિતરણ સંહિતાની કલમ ૪.૫(૧૨)માં સુધારો:

મુખ્ય સંહિતાની કલમ ૪.૫(૧૨) ની અવેજુમાં નીચે મુજબનો પેરેગ્રાફ મુકાશે.

“૪.૫ (૧૨)

વિતરણ વ્યવસ્થા માટેનાં સુરક્ષા ધોરણો, સલામતી ધોરણો અને વીજળી ગુણવત્તા ધોરણોની આવશ્યકતાઓને આંચ ન આવે તે રીતે ખર્ચની અસરકારકતા તથા વીજ ઘટમાં ઘટાડાને લક્ષમાં રાખીને વિતરણ વ્યવસ્થાનું આયોજન કરવું.”

૩. મુખ્ય વિતરણ સંહિતાની કલમ ૯.૭.૧માં સુધારો:

મુખ્ય સંહિતાની કલમ ૯.૭ (૧) ની અવેજુમાં નીચે મુજબનો પેરેગ્રાફ મુકાશે.

“૯.૭ (૧)

વિશ્વસનીય અને આકસ્મિક સંચાર જોડાણો એટલે કે ઈ-મેઇલ આઈડી (કે જે દરેક સમયે ઉપલબ્ધ હોય), ટેલિફોન, ફેક્સ વગેરે, ૧.મે.વો અને વધુ કરારમાંગ વાળા ગ્રાહકોએ પરવાનેદાર, એલએમ્યુ, સબ - એસએલડીસી અને એસએલડીસી વચ્ચે ડેટા વિનિમય અને ઓપરેટીંગની સુચના અને માહિતીના વિનિમય માટે પૂરા પાડેલા હોવા જોઈએ. દરેક પરવાનેદારે ગ્રાહક છેડ યોગ્ય સંચાર ઇન્ફાસ્ટ્રક્ચરની સ્થાપન અને જાળવણી સુનિશ્ચિત કરવી.”

૪. મુખ્ય વિતરણ સંહિતાની કલમ ૯.૮ (૧)માં સુધારો:

મુખ્ય સંહિતાની કલમ ૯.૮ (૧) ની અવેજુમાં નીચે મુજબનો પેરેગ્રાફ મુકાશે.

“૯.૮ (૧)

વિતરણ પરવાનેદાર અને વપરાશકર્તાઓ(નિર્માણ કરતી કંપનીઓ, પ્રવાહન પરવાનેદાર અને પ.મે.વો. શી વધુ અથવા વિશ્વા વિશ્વા હેતુ માટે લગાડેલ લાઇનોના બનેલા) અને પરવાનેદાર સાથે સામાન્ય વીજ જોડાણ ધરાવતા બીજા કોઈ વિતરણ પરવાનેદાર સલામતી સંયોજન માટે જવાબદાર બનતી યોગ્ય વ્યક્તિઓ નીમણે. આ વ્યક્તિઓ

નિયંત્રણ વ્યક્તિઓ તરીકે ઓળખાશે. તેમનો હોશે, ઈ-મેઇલ આઈડી અને ટેલિફોન નંબર સંબંધિત તમામ વ્યક્તિઓ વચ્ચે આપ-લે કરવામાં આવશે. યાદીમાં કોઈ ફેરફાર હોશે તો તે તમામ સંબંધિતને વિના વિલંબે જાહેર કરવામાં આવશે”

3. મુખ્ય વિતરણ સંહિતાના જોડાણ-૧ માં સુધારો:

મુખ્ય સંહિતાના જોડાણ - ૧ ની કલમ ૧૨ (૧) ની અવેજુમાં નીચે મુજબનો પેરેગ્રાફ મુકાશે.

૧૨ (૧)

૨૩૦ વો. સિંગલ ફેઇઝ પુરવઠા માટે મીટર યોગ્ય બોર્ડ પર, ટેમ્પર પૂર્ફ પેટીમાં પૂર્ફ પાડવામાં આવશે કે જે સૂર્ય અને વરસાદથી રક્ષિત જગ્યાએ અને વાંચન લઇ શકાય તેવી સુરક્ષિત જગ્યાએ રહેશે. ટેમ્પર પૂર્ફ પેટી પૂરતી તાકાત અને લોકોની અને સીલોના ઉપકરણો સાથેની ડિઝાઇન અને ગરમી દ્વારા કરવા માટેની પૂરતી જોગવાઈ સાથે જરૂરી છલેકટ્રીકલ મંજૂરીઓ સાથેનું હોવું જોઈએ. આવી ડિઝાઇન મીટર અને તેનાં જોડાણને અડક્યા વિના રીડિંગ લેવાની અનુમતી આપતી હોવી જોઈએ. મીટર અને પેટીના છેડાઓ ટેમ્પર પૂર્ફ અને સીલ લગાવેલ હોવા જોઈએ. ૪૦૦ વો. થી ફેઇઝ પુરવઠા માટે મીટર અને જોડાણ સહિત સંકળાયેલ મીટર ગોઠવવાની સામગ્રી ચેડા ન કરી શકાય તેવી યોગ્ય પેટીમાં બંધ કરવામાં આવશે. તાજાબંધ અને સીલબંધ યુક્તિશી ચેડા ન કરી શકાય તેવી પેટી સંપૂર્ણપણે મજબૂત હોશે અને તેમાં જરૂરી વીજળીક નિવારણ સાથે ગરમી દ્વારા કરવા માટેની પૂરતી જોગવાઈ હોશે અને મીટરને કે તેનાં જોડાણને અડક્યા વિના મીટર રીડિંગ કરી શકાય તેવી રચના હોશે.

સહિ/-

રૂપવંત સિંઘ, આઇ એ એસ,

સચિવ,

ગુજરાત વિદ્યુત નિયંત્રક આયોગ

ગાંધીનગર.

ગાંધીનગર

તા. ૨૫/૦૧/૨૦૧૬